



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**

## ARDON<sup>®</sup> FIRWIN LB S3

SAFETY SHOES



WINTER



WATER  
REPELLENT



REFLECTIVE

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® FIRWIN LB S3

SAFETY SHOES

**ARTICLE** G3121

**MATERIAL**

Upper cowhide leather with SPLIT LEATHER design, hydrophobic  
 Lining synthetic fur  
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip,  
 Toe cap steel 522X  
 Plate steel  
 Insole BASIC

**SIZE**  
**UNIT**

36-50  
 pair

**PACKAGE**

Units in a carton  
 Units in a box

10 pairs  
 1 pair

**DIMENSIONS**

Carton H x W x D  
 (cm)  
 Carton (cbm)

	36-42	43-46	47-50
Carton H x W x D (cm)	59,5 x 32,5x 57,5	62 x 34,5 x61,5	62 x 36 x 61,5
Carton (cbm)	0,111	0,132	0,137



TECHNICAL SHEET

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	239	246	252	259	266	272	279	286	292	299	306	312	319	326	332	-
Foot length cm	-	22,9	23,6	24,2	24,9	25,6	26,2	26,9	27,6	28,2	28,9	29,6	30,2	30,9	31,6	32,2	-

**DESCRIPTION**

Safety shin-high boots with steel safety toe cap and puncture-resistant insole. Cowhide upper has a hydrophobic finish and the shoes are insulated with synthetic fur.



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Safety footwear

Category S3 SRA CI

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin		
WRU - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS	✓	
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold	✓	
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3121/36	8592390032256	18.91	1.891
G3121/37	8592390032263	18.93	1.893
G3121/38	8592390032270	18.97	1.897
G3121/39	8592390032287	19.01	1.901
G3121/40	8592390032294	19.04	1.904
G3121/41	8592390032300	19.07	1.907
G3121/42	8592390032317	19.11	1.911
G3121/43	8592390032324	19.14	1.914
G3121/44	8592390032331	19.19	1.919
G3121/45	8592390032348	19.21	1.921
G3121/46	8592390032355	19.25	1.925
G3121/47	8592390032362	19.28	1.928
G3121/48	8592390032379	19.31	1.931
G3121/49	8592390099105	19.34	1.934
G3121/50	8592390099112	19.37	1.937



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL SHEET