



ARDON

TECHNICAL DATA SHEET

YORK

Workwear

Article NO: H2149 (grey-black)
H2157 (red-grey)
H2192 (black-grey)

Material - outer shell: 100% polyester, PVC coating
Material - lining: fleece 100% polyester (180 g/m²)
in combination with polyester 210T
Material - padding: 100% polyester



Size: M -XXXL

Men's winter padded and water resistance jacket. Bottom hem can be adjusted by stoppers, the cuffs are elastic and adjustable by velcro fasteners.

This personal protective equipment is in conformity with these harmonized European Standards:

EN ISO 13688:2013 : Protective clothes - General requirements.

PPE of the simple construction against minimal risk, which can be recognized by the user safely at an early stage.

Self certification have been performed on the base of technical documentation of the PPE and practical exams of the ergonomic features of the PPE by the Ardon Safety s.r.o. company, dated 19th August 2019.

Pieces in carton:	24
Polybag packing (pieces):	1
Carton weight:	27,5 kg
Carton size:	0,195 m ³

Service life depends on the frequency of use and the wear rate under the given conditions. Improper storage and improper maintenance and handling will reduce the service life. The warranty period is 24 months. In no event may the warranty period be confused with a product's service life. Under intense use, the service life may be shorter than the warranty period.

The product contains no substances at concentrations that are known or suspected to have adverse effects on sanitation or a user's health. However, skin irritation may occur with sensitive persons; in this case, the discontinue use of the clothing. Avoid fire and intense heat sources. There are no

ARDON SAFETY s. r. o.

Tržní 2902/14, Přešov I - Město
Tel.: 581 250 061 www.ardon.cz



ARDON®

designated accessories or spare parts for this clothing. When a garment is not being worn, it should be stored in dry and well ventilated places out of direct sunlight. In order to transport, the original packaging should be used. Protect from moisture and extreme temperatures. After use, dispose of in an environmentally friendly manner.
